



NRC Publications Archive Archives des publications du CNRC

Effects of exterior insulation retrofit on moisture accumulation in wood-frame exterior walls (Poster)

Rousseau, M. Z.; Maref, W.; Leroux, P.; Armstrong, M. M.

This publication could be one of several versions: author's original, accepted manuscript or the publisher's version. / La version de cette publication peut être l'une des suivantes : la version prépublication de l'auteur, la version acceptée du manuscrit ou la version de l'éditeur.

NRC Publications Record / Notice d'Archives des publications de CNRC:
<https://nrc-publications.canada.ca/eng/view/object/?id=e4cd589b-1ca3-4f62-ae91-4962b1966f30>
<https://publications-cnrc.canada.ca/fra/voir/objet?id=e4cd589b-1ca3-4f62-ae91-4962b1966f30>

Access and use of this website and the material on it are subject to the Terms and Conditions set forth at

<https://nrc-publications.canada.ca/eng/copyright>

READ THESE TERMS AND CONDITIONS CAREFULLY BEFORE USING THIS WEBSITE.

L'accès à ce site Web et l'utilisation de son contenu sont assujettis aux conditions présentées dans le site

<https://publications-cnrc.canada.ca/fra/droits>

LISEZ CES CONDITIONS ATTENTIVEMENT AVANT D'UTILISER CE SITE WEB.

Questions? Contact the NRC Publications Archive team at
PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca. If you wish to email the authors directly, please see the first page of the publication for their contact information.

Vous avez des questions? Nous pouvons vous aider. Pour communiquer directement avec un auteur, consultez la première page de la revue dans laquelle son article a été publié afin de trouver ses coordonnées. Si vous n'arrivez pas à les repérer, communiquez avec nous à PublicationsArchive-ArchivesPublications@nrc-cnrc.gc.ca.



National Research
Council Canada

Conseil national de
recherches Canada

Canada

**Effects of exterior insulation retrofit on moisture
accumulation in wood-frame exterior walls (Poster)**

NRCC-50841

Rousseau, M.Z.; Maref, W.; Leroux, P.;
Armstrong, M.

2008-10-01

The material in this document is covered by the provisions of the Copyright Act, by Canadian laws, policies, regulations and international agreements. Such provisions serve to identify the information source and, in specific instances, to prohibit reproduction of materials without written permission. For more information visit <http://laws.justice.gc.ca/en/showtdm/cs/C-42>

Les renseignements dans ce document sont protégés par la Loi sur le droit d'auteur, par les lois, les politiques et les règlements du Canada et des accords internationaux. Ces dispositions permettent d'identifier la source de l'information et, dans certains cas, d'interdire la copie de documents sans permission écrite. Pour obtenir de plus amples renseignements : <http://lois.justice.gc.ca/fr/showtdm/cs/C-42>



EFFECTS OF EXTERIOR INSULATION RETROFIT ON MOISTURE ACCUMULATION IN WOOD-FRAME EXTERIOR WALLS

Background


Energy retrofitting the building envelope of the existing housing stock can result in higher energy efficiency and thermal comfort, and lower operation costs. Adding thermal insulation on the exterior of existing walls is one option available to building owners. The effect of the heat, air and vapour flow control properties of the thermal insulation on moisture accumulation in the wall cavity due to wintertime condensation is a topic of interest warranting research.

Objective


Compare and assess the hygrothermal response of 3 different wood-frame wall assemblies, two of which integrate a different energy retrofit measure using exterior thermal insulation with different hygrothermal properties (i.e. vapour and air permeance), exposed to challenging climate conditions.

Methodology


- Three wall tests specimens with different heat, air and moisture control properties were built side-by-side in NRC-IRC Field Exposure of Walls Facility (FEWF).
- The test specimens are exposed to natural outdoor weather, and to a series of challenging levels of air pressure and relative humidity indoors over the course of the seasons.
- An opening in the air barrier system (the polyethylene membrane) of the specimens is introduced during the monitoring period, to examine the effect of air leakage on the wetting and drying of the elements.
- The test specimens are instrumented and monitored continuously to characterize the profiles of temperature, relative humidity, air pressure, moisture deposition, and moisture content in locations of interest within the assemblies.
- The study started in Fall 2007 and will continue through Winter 2009.



Wall 1 - No ext. retrofit



Wall 2 - Ext. retrofit with XPS insulation




Wall 3 - Ext. retrofit with mineral fibre insulation

Horizontal cross-section of the 3 test wall assemblies

Test Specimens

- W1 (reference wall) is a typical 38 mm X140 mm (2X6 nominal) wood-frame wall construction for low-rise housing, including RSI3.52 (R20) glass fibre insulation in the stud cavity.
- W2 is an energy-retrofitted specimen. It consists of W1 construction *plus* 50 mm (2 in.) rigid-board extruded polystyrene insulation (XPS) on the exterior of the existing wood sheathing & sheathing membrane.
- W3 is an energy-retrofitted specimen. It consists of W1 construction *plus* 62.5 mm (2.5 in.) semi-rigid mineral fibre insulation on the exterior of the existing wood sheathing & sheathing membrane.
- All 3 specimens include a PVC horizontal exterior lap siding, and a polyethylene air/vapour barrier behind the interior drywall finish.



Expected Outcomes

- Better understanding of critical elements affecting the wetting and drying of such wall assemblies.
- Benchmarking NRC-IRC hygIRC 2D numerical model for predicting hygrothermal response of wall assemblies.

Partners

This project is funded by NRC-IRC, Natural Resources Canada (NRCan) and Canada Mortgage and Housing Corporation (CMHC)

Contacts

Dr. Wahid Maref
(613) 993-5709
wahid.maref@nrc.gc.ca
website http://irc.nrc-cnrc.gc.ca/bes/hmpe/fieldfewf/index_e.html

Madeleine Rousseau
(613) 993-3938
madeleine.rousseau@nrc.gc.ca